




ITALMIX has been established in 1995 with the cooperation of the company Marmix.

In 2000 owing to the sale of the brand name Marmix to Storti, ITALMIX became an independent company continuing anyway to manufacture mixer wagons and to operate at international levels.



In 2008 ITALMIX has become the owner of the brand name GILIOLO, that is an historical company in the field of production of mixer wagons, especially horizontal ones, having behind 40 years experience.



In June 2009 the change of the Company set-up, with the entrance of new partners in ITALMIX, has brought to technological and design innovations and therefore has been planned a new line of machines that aims to be the top of ITALMIX production range.

This is the origin of MATRIX brand.

OFFICIALLY IN THE NEW ERA



The Italmix Group has the pleasure of inviting you to the "What's new" event.

Besides welcoming you in our new office, the event will be the perfect opportunity to introduce our new models and new production. We would also like to celebrate the Group's spirit of innovation and passion for work that are the pillars of Italmix' strong presence in the market.

We look forward to seeing you.

FRIDAY 24 FEBRUARY 2017 AT 4:30 PM

Please, rsvp before 31st january 2017.

ITALMIX S.R.L. Strada Montichiari 93 - Ghedi (BS) Italy Tel. +39 030 9650 099 - www.italmix.it



In December 2015 Italmix moved to a new Factory located in Ghedi, not far away from the old one, that was officially presented to all customers, dealers, some of the most important suppliers and collaborators on 24th of February 2017 with a big event called «What's New». In the same occasion Italmix introduced some other important news such as new logos and new products.



1995 – Dec. 2015



Dec. 2015 - today



ITALMIX MARKETS




Italy – Europe – Egypt – Iran – Argentina – Chile – Mexico – Brazil – Australia – New Zealand – Japan – Kazakhstan – South Africa – Belarus – Russia – Canada

ITALMIX


ITALMIX KEY FEATURES

- 3 Brands owning ITALMIX**
- 1 production premise**
- 8000 m² production area**
- 60 group employees**
- 24 million € year turnover**

WE ARE GROWING



PRODUCTION 2020



OUR OFFER

- **Wide choose thanks to a very vast and complete products range**
- **We can satisfy any kind of need, logistic, economic or productive**
- **We face competition at the best way**

Leader in the production of vertical feeders ...



Trailed models:

- EASY
- TWISTER
- TWISTER TOP
- VM

Self-propelled:

- PLANET
- MECH



Trailed models:

- EASY TWIN
- TWISTER TWIN
- VM TWIN
- DUPLEX

Self-propelled:

- PLANET TWIN
- MECH TWIN



TRIPLEX

Trailed or self-propelled

... but not only



JAGUAR


2 horizontal augers
with or without milling cutter



LASER

Straw-chopper with or without internal milling cutters for silages





Duplex



Triplex



Twister & Twister Twin




Easy & Easy Twin



Gilioli

CARRI TRINCIAMISCELATORI



CUTTER-MIXERS
FUTTERHACKSEL-MISCHWAGEN



DESILMIX/3



MIXER/G



CONDOR/DX



AND THE HORIZONTAL WAGONS

SERIES DESILMIX





GILIOLI
MOVING INTO THE FUTURE

AND THE HORIZONTAL
WAGONS

SERIES MIXER/G






GILIOLI
MOVING INTO THE FUTURE

AND THE HORIZONTAL
WAGONS

SERIES CONDOR MIX AND DX








02.05.2007









THE TOP RANGE

MATRIX RANGE

Straw-choppers



series JET

JET 150 LIFTED MOD.

JET 150 TRAILED MOD.

JET 180 TRAILED MOD.

JET 280 TRAILED MOD.

JET POWER 180 TRAILED MOD.

JET POWER 280 TRAILED MOD.

JET POWER 380 TRAILED MOD.

JET POWER PIRANHA








MATRIX RANGE

horizontal feeders

HORIZONTAL MACHINES



ARGON & ARGON PLUS




milling cutter

- Milling cutter arms have been reinforced to improve the operating stability
- Larger milling cutter: diameter 600 mm, width 1500 or 1800 mm
- Stronger and longer-life knives
- High performances and respect of ensiled products



augers transmission



- New design of the oil bath case, made of pressed steel that assures higher stability with very thick modular gears made of special casehardened steel that permit operation quietness and long life
- Over-sized transmission shafts, diam. 100 mm
- Front reverse gear that make the PTO shaft operate with a better angle
- Auger connection flanges with spline hub of 80 mm that assures longer life and higher robustness




mixing tank and augers



- Steel bottom of 10 mm raised laterally: less wear and tear
- Counter-knives along the whole length of the mixing tank: faster cut
- Wider sluice gates: faster unloading
- Hydraulic cylinder mounted directly on the door: opening system more reliable and less wear and tear
- Rollers discharge chain: less noise
- Mixing tank with upper external fold and upper rounded extensions: better mixing and more loading capacity
- Boiling point warded off of 200 mm
- Toothed knives along the whole length of the augers



NEON & NEON PLUS



NEON & NEON PLUS



NEON & NEON PLUS




MONSTER



MATRIX RANGE **vertical feeders**



VERTICAL FEEDERS



XENO & XENO JUMBO



RADON & RADON JUMBO



ROVER UP & ROVER JUMBO UP





The single-auger Rover Up is the only machine on the market that can be equipped with either front or rear wheel steering at the discretion of the customer.



The two-auger Rover Jumbo Up has front wheel steering and rear wheel drive.

Both can have four-wheel steering (optional upon request).




They have the great advantage of being very easy to handle, thanks to hydraulic power steering and a very short wheelbase that reduces the turning radius.

ROVER UP & ROVER JUMBO UP

ROVER UP & ROVER JUMBO UP

IVECO NEF OR JOHN DEERE DIESEL ENGINE



ROVER UP & ROVER JUMBO UP


FRONT AXLE WITH HYDRAULIC SUSPENSION



ROVER UP & ROVER JUMBO UP





**VERY STRONG SINGLE-PIECE
FRAME, FREE OF WELDINGS**



**TRANSMISSION GROUP
COMPONENTS: CLUTCH-
GEARBOX-COUPLING GEAR**

ROVER UP & ROVER JUMBO UP



**PREMIO INNOVAZIONE
2016**

FIERAGRICOLA
11th International Agricultural Technologies Show



VERONAFIERE

**L'INFORMATORE
AGRIARIO**



POWERSHIFT GEARBOX DOUBLE SPEED AUGERS

The innovative Powershift transmission enables the selection of the correct auger speed even under load, that is, without needing to stop the auger as is the case in the old mechanical transmission machines. This new technical solution finally makes the concept of flexibility of use and energy efficiency concrete by combining the advantages of mechanical and hydrostatic transmissions. The gearbox is operated by a cooled oil bath double clutch that decreases the friction, requires less energy and maintenance, and thereby reduces the management costs and increases productivity.


ROVER UP & ROVER JUMBO UP



STANDARD EQUIPMENT: LADDER AND INSPECTION PLATFORM TO CHECK MIXING PHASE INSIDE THE TANK. LADDER CAN BE OPENED SO TO HAVE AN EASY ACCESS TO ELECTRIC SYSTEM BOX AND HYDRAULIC DISTRIBUTORS




RADIATOR IS LOCATED BEHIND THE ENGINE, SHELTERED FROM DUST. EASY ACCESS FOR CLEANING AND MAINTENANCE OPERATIONS; AIR FLOW TOWARDS THE CONVERTER ALLOWS ITS PERFECT CLEANING.



ROVER UP & ROVER JUMBO UP



GRAPHIC WEIGHING SYSTEM WITH SQUARE STAINLESS STEEL LOAD CELLS IS STANDARD EQUIPPED



HYDRAULIC COUNTER-KNIVES ARE STANDARD EQUIPPED



HIGHEST COMFORT OF DRIVING, SPRUNG SEAT ADJUSTABLE IN 3 POSITIONS AND JOYSTICK IS INTEGRATED IN THE ARM REST FOR A PERFECT CONTROLS ERGONOMICS.

ROVER UP & ROVER JUMBO UP

ACCESSORIES



**SELF-CLEANING FAN
FOR RADIATOR**




**TELEVISION CAMERA WITH COLORS-
MONITOR**



**REAR HOPPER
WITH HYDRAULIC
AUGER AND LID**

**AUTOMATIC OR HAND-OPERATED
CENTRALIZED GREASING SYSTEM**

AUTOMATIC COUNTER-KNIVES



ROVER ALPHA & ROVER JUMBO ALPHA



ROVER ALPHA & ROVER JUMBO ALPHA



FORMULA & FORMULA JUMBO



FORMULA & FORMULA JUMBO

STANDARD EQUIPMENT



- Rear cross-mounted diesel engine, from 175 to 238 HP
- Hydrostatic transmission to augers, translation and milling cutter
- Rear drive and front steering
- 2-rotation-speed augers
- Front leaf springs
- Over-sized radiators
- Double oil exchanger
- Perfect weight division on the axles, ideal for traffic road







ITALMIX S.R.L.

Trailed and self-propelled mixer wagons

Strada Montichiari, 96

25016 Ghedi (Brescia) – Italy

Tel. +39.030.9650099 – 964877

Fax +39.030.9962262

info@italmix.it

www.italmix.it